

gültig ab 1.4.2025

## Blanker Flachstahl

**S235 JRC+C / h 11 (ST 37-2K), (WST.Nr.1.0122) EN 10277-2**

scharfkantig

Signierung

Tol. EN 10278/ ISO 286-2

keine

Stangenlänge: 3 m

| Abm.<br>mm | Artikel<br>Nr. | Gewicht<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€ / Stk. |
|------------|----------------|-----------------|----------------|-----------------|------------------|-------------------|----------------|-----------------------|
| 20/5       | FSK 026        | 0,79            | 5.612          | 4.522           | 4.121            | 3.833             | 3.604          | 6,00                  |
| 20/6       | FSK 024        | 0,94            | 5.612          | 4.522           | 4.121            | 3.833             | 3.604          | 6,00                  |
| 20/10      | FSK 029        | 1,57            | 5.453          | 4.417           | 4.036            | 3.763             | 3.545          | 6,00                  |
| 20/15      | FSK 031        | 2,36            | 5.453          | 4.417           | 4.036            | 3.763             | 3.545          | 6,00                  |
| 25/15      | FSK 041        | 2,94            | 5.385          | 4.373           | 3.999            | 3.732             | 3.519          | 6,00                  |
| 25/20      | FSK 042        | 3,93            | 5.385          | 4.373           | 3.999            | 3.732             | 3.519          | 6,00                  |
| 30/4       | FSK 045        | 0,96            | 5.612          | 4.522           | 4.121            | 3.833             | 3.604          | 6,00                  |
| 30/5       | FSK 046        | 1,18            | 5.521          | 4.462           | 4.072            | 3.793             | 3.571          | 6,00                  |
| 30/6       | FSK 047        | 1,41            | 5.521          | 4.462           | 4.072            | 3.793             | 3.571          | 6,00                  |
| 30/8       | FSK 048        | 1,88            | 5.453          | 4.417           | 4.036            | 3.763             | 3.545          | 6,00                  |
| 30/10      | FSK 049        | 2,36            | 5.385          | 4.373           | 3.999            | 3.732             | 3.519          | 6,00                  |
| 30/15      | FSK 051        | 3,53            | 5.385          | 4.373           | 3.999            | 3.732             | 3.519          | 6,00                  |
| 30/20      | FSK 053        | 4,71            | 5.385          | 4.373           | 3.999            | 3.732             | 3.519          | 6,00                  |

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

## Blanker Flachstahl

**S235 JRC+C / h 11 (ST 37-2K), (WST.Nr.1.0122) EN 10277-2**

scharfkantig

Signierung

Tol. EN 10278/ ISO 286-2

keine

Stangenlänge: 3 m

| Abm.<br>mm | Artikel<br>Nr. | Gewicht<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€ / Stk. |
|------------|----------------|-----------------|----------------|-----------------|------------------|-------------------|----------------|-----------------------|
| 40/8       | FSK 072        | 2,51            | 5.385          | 4.373           | 3.999            | 3.732             | 3.519          | 6,00                  |
| 40/10      | FSK 073        | 3,14            | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 6,00                  |
| 40/12      | FSK 074        | 3,77            | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 6,00                  |
| 40/15      | FSK 076        | 4,71            | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 6,00                  |
| 40/20      | FSK 077        | 6,28            | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 6,00                  |
| 50/10      | FSK 100        | 3,93            | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 6,00                  |
| 50/15      | FSK 102        | 5,89            | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 6,00                  |
| 50/20      | FSK 104        | 7,85            | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 6,00                  |
| 50/25      | FSK 106        | 9,81            | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |
| 50/30      | FSK 108        | 11,80           | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

## Blanker Flachstahl

**S235 JRC+C / h 11 (ST 37-2K), (WST.Nr.1.0122) EN 10277-2**

scharfkantig

Signierung

Tol. EN 10278/ ISO 286-2

keine

Stangenlänge: 3 m

| Abm.<br>mm | Artikel<br>Nr. | Gewicht<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€ / Stk. |
|------------|----------------|-----------------|----------------|-----------------|------------------|-------------------|----------------|-----------------------|
| 60/10      | FSK 118        | 4,71            | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 6,00                  |
| 60/12      | FSK 119        | 5,65            | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 6,00                  |
| 60/15      | FSK 120        | 7,07            | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 6,00                  |
| 60/20      | FSK 122        | 9,42            | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 6,00                  |
| 60/30      | FSK 125        | 14,13           | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |
| 60/40      | FSK 127        | 18,80           | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |
| 70/8       | FSK 134        | 4,40            | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |
| 70/10      | FSK 135        | 5,50            | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |
| 70/12      | FSK 136        | 6,50            | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |
| 70/15      | FSK 138        | 8,24            | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |
| 70/25      | FSK 140        | 13,70           | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |
| 70/30      | FSK 142        | 16,50           | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

## Blanker Flachstahl

**S235 JRC+C / h 11 (ST 37-2K), (WST.Nr.1.0122) EN 10277-2**

scharfkantig

Signierung

Tol. EN 10278/ ISO 286-2

keine

Stangenlänge: 3 m

| Abm.<br>mm | Artikel<br>Nr. | Gewicht<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€ / Stk. |
|------------|----------------|-----------------|----------------|-----------------|------------------|-------------------|----------------|-----------------------|
| 80/20      | FSK 155        | 12,56           | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |
| 90/15      | FSK 170        | 10,60           | 5.453          | 4.417           | 4.036            | 3.763             | 3.545          | 7,00                  |
| 100/12     | FSK 183        | 9,42            | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 7,00                  |
| 100/20     | FSK 186        | 15,70           | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 7,00                  |
| 110/20     | FSK 198        | 17,30           | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 7,00                  |
| 110/40     | FSK 199        | 34,50           | 5.250          | 4.283           | 3.927            | 3.673             | 3.469          | 9,00                  |
| 120/15     | FSK 206        | 14,13           | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 7,00                  |
| 120/20     | FSK 208        | 18,84           | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 7,00                  |
| 130/50     | FSK 228        | 102,00          | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 11,00                 |

Preise in € / to ohne MwSt.

|                                                                                              |                |                 |                |                 |                  |                   |                | gültig ab 1.4.2025    |
|----------------------------------------------------------------------------------------------|----------------|-----------------|----------------|-----------------|------------------|-------------------|----------------|-----------------------|
| <b>Blanker Flachstahl</b><br><b>S235 JRC+C / h 11 (ST 37-2K), (WST.Nr.1.0122) EN 10277-2</b> |                |                 |                |                 |                  |                   |                |                       |
| scharfkantig                                                                                 |                |                 | Signierung     |                 |                  |                   |                |                       |
| Tol. EN 10278/ ISO 286-2                                                                     |                |                 | keine          |                 |                  | Stangenlänge: 6 m |                |                       |
| Abm.<br>mm                                                                                   | Artikel<br>Nr. | Gewicht<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€ / Stk. |
| 35/10                                                                                        | FSK 635        | 2,75            | 5.453          | 4.417           | 4.036            | 3.763             | 3.545          | 6,00                  |
| 40/10                                                                                        | FSK 640        | 3,14            | 5.453          | 4.417           | 4.036            | 3.763             | 3.545          | 6,00                  |
| 60/10                                                                                        | FSK 610        | 4,83            | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 4,00                  |
| 90/40                                                                                        | FSK 940        | 28,30           | 5.340          | 4.343           | 3.975            | 3.713             | 3.503          | 6,00                  |

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

## Blanker Rundstahl

**S235 JRC+C (ST 37-2K), (WST Nr.1.0037) EN 10277-2**

Signierung

Tol. EN 10278/ ISO 286-2 / h 9

keine

Stangenlänge: 6 m

| Abm.<br>mm | Artikel<br>Nr. | Gewicht<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€ / Stk. |
|------------|----------------|-----------------|----------------|-----------------|------------------|-------------------|----------------|-----------------------|
| 10         | RSK 010        | 0,62            | 4.775          | 3.969           | 3.673            | 3.461             | 3.290          | 5,00                  |
| 12         | RSK 012        | 0,89            | 4.775          | 3.969           | 3.673            | 3.461             | 3.290          | 5,00                  |
| 14         | RSK 014        | 1,21            | 4.775          | 3.969           | 3.673            | 3.461             | 3.290          | 5,00                  |
| 16         | RSK 016        | 1,58            | 4.775          | 3.969           | 3.673            | 3.461             | 3.290          | 5,00                  |
| 20         | RSK 020        | 2,47            | 4.775          | 3.969           | 3.673            | 3.461             | 3.290          | 5,00                  |
| 25         | RSK 025        | 3,85            | 4.775          | 3.969           | 3.673            | 3.461             | 3.290          | 5,00                  |
| 30         | RSK 030        | 5,55            | 4.775          | 3.969           | 3.673            | 3.461             | 3.290          | 5,00                  |
| 40         | RSK 040        | 9,86            | 4.775          | 3.969           | 3.673            | 3.461             | 3.290          | 5,00                  |
| 50         | RSK 050        | 15,40           | 4.775          | 3.969           | 3.673            | 3.461             | 3.290          | 6,00                  |

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

## Blanker Rundstahl

**S 355 J2 C+C (ST 52.3 K), (WST.Nr. 1.0569) EN 10277-2**

Signierung

Tol. EN 10278/ ISO 286-2 / h 9

silber

Stangenlänge: ca. 6 m

| Abm.<br>mm | Artikel<br>Nr. | Gewicht<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€ / Stk. |
|------------|----------------|-----------------|----------------|-----------------|------------------|-------------------|----------------|-----------------------|
| 20         | AS 490         | 2,47            | 4.956          | 4.088           | 3.769            | 3.541             | 3.359          | 5,00                  |
| 25         | AS 500         | 3,85            | 4.956          | 4.088           | 3.769            | 3.541             | 3.359          | 5,00                  |
| 30         | AS 510         | 5,55            | 4.956          | 4.088           | 3.769            | 3.541             | 3.359          | 5,00                  |
| 35         | AS 520         | 7,55            | 4.956          | 4.088           | 3.769            | 3.541             | 3.359          | 5,00                  |
| 40         | AS 530         | 9,86            | 4.956          | 4.088           | 3.769            | 3.541             | 3.359          | 5,00                  |
| 45         | AS 540         | 12,50           | 4.956          | 4.088           | 3.769            | 3.541             | 3.359          | 5,00                  |
| 50         | AS 550         | 15,40           | 4.956          | 4.088           | 3.769            | 3.541             | 3.359          | 6,00                  |
| 60         | AS 570         | 22,20           | 4.956          | 4.088           | 3.769            | 3.541             | 3.359          | 6,00                  |
| 70         | AS 590         | 30,20           | 5.069          | 4.163           | 3.830            | 3.592             | 3.401          | 7,00                  |
| 80         | AS 610         | 39,50           | 5.069          | 4.163           | 3.830            | 3.592             | 3.401          | 7,00                  |
| 100        | AS 640         | 61,70           | 5.258          | 4.288           | 3.932            | 3.677             | 3.472          | 8,00                  |

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

# **Blanker Rundstahl C45C+C** **(WST Nr. 1.0503/1.1191) EN 10277**

Signierung

Tol. EN 10278/ ISO 286-2 / h 9 rot

Stangenlänge: ca. 6 m

| Abm.<br>mm | Artikel<br>Nr. | Gew.<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€/ Stk. |
|------------|----------------|--------------|----------------|-----------------|------------------|-------------------|----------------|----------------------|
| 20         | RSC 020        | 2,47         | 4.887          | 4.044           | 3.732            | 3.511             | 3.333          | 5,00                 |
| 25         | RSC 025        | 3,85         | 4.887          | 4.044           | 3.732            | 3.511             | 3.333          | 5,00                 |
| 30         | RSC 030        | 5,55         | 4.887          | 4.044           | 3.732            | 3.511             | 3.333          | 5,00                 |
| 35         | RSC 035        | 7,55         | 4.887          | 4.044           | 3.732            | 3.511             | 3.333          | 5,00                 |
| 40         | RSC 040        | 9,86         | 4.887          | 4.044           | 3.732            | 3.511             | 3.333          | 5,00                 |
| 45         | RSC 045        | 12,49        | 4.887          | 4.044           | 3.732            | 3.511             | 3.333          | 5,00                 |
| 50         | RSC 050        | 15,40        | 4.887          | 4.044           | 3.732            | 3.511             | 3.333          | 6,00                 |
| 55         | RSC 055        | 18,65        | 4.887          | 4.044           | 3.732            | 3.511             | 3.333          | 7,00                 |
| 65         | RSC 065        | 26,05        | 5.001          | 4.119           | 3.793            | 3.561             | 3.375          | 7,00                 |
| 75         | RSC 075        | 34,70        | 5.001          | 4.119           | 3.793            | 3.561             | 3.375          | 8,00                 |
| 80         | RSC 080        | 39,50        | 5.001          | 4.119           | 3.793            | 3.561             | 3.375          | 9,00                 |
| 90         | RSC 090        | 49,90        | 5.001          | 4.119           | 3.793            | 3.561             | 3.375          | 10,00                |

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

## Automatenstahl bleileg.

**11SMnPb 30/37 +C, (WST.Nr.1.0718/1.0736) EN 10277-3**

blank nach EN 10278/

Signierung

ISO 286-2/ h 9 ab 60 mm h 11

gelb

Stangenlänge: ca. 3 m

rund

| Abm.<br>mm | Artikel<br>Nr. | Gew.<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€ / Stk. |
|------------|----------------|--------------|----------------|-----------------|------------------|-------------------|----------------|-----------------------|
| 8          | ASB 030        | 0,40         | 5.318          | 4.328           | 3.963            | 3.702             | 3.494          | 5,00                  |
| 10         | ASB 040        | 0,62         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 12         | ASB 050        | 0,89         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 16         | ASB 090        | 1,58         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 17         | ASB 100        | 1,78         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 18         | ASB 110        | 2,00         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 20         | ASB 130        | 2,47         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 24         | ASB 150        | 3,55         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

## Automatenstahl bleileg.

**11SMnPb 30/37+C WST.Nr.1.0718/1.0736) EN 10277-3**

blank nach EN 10278/

Signierung

ISO 286-2/ h 9 ab 60 mm h 11

gelb

Stangenlänge: ca. 3 m

rund

| Abm.<br>mm | Artikel<br>Nr. | Gew.<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€/ Stk. |
|------------|----------------|--------------|----------------|-----------------|------------------|-------------------|----------------|----------------------|
| 30         | ASB 200        | 5,55         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                 |
| 32         | ASB 210        | 6,31         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                 |

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

## **Automatenstahl bleileg.**

### **11 SMnPb 30/37 +C, (WST1.0718/1.0737) EN 10277-3 sechskant**

blank nach EN 10278/  
ISO 286-2/ h 11

Signierung  
gelb

Stangenlänge: ca. 3 m

| Abm.<br>mm | Artikel<br>Nr. | Gew.<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€/ Stk. |
|------------|----------------|--------------|----------------|-----------------|------------------|-------------------|----------------|----------------------|
| 17         | ASB 450        | 1,97         | 4.817          | 4.172           | 4.072            | 3.772             | 3.594          | 5,00                 |
| 19         | ASB 460        | 2,45         | 4.817          | 4.172           | 4.072            | 3.772             | 3.594          | 5,00                 |
| 24         | ASB 480        | 3,92         | 4.817          | 4.172           | 4.072            | 3.772             | 3.594          | 5,00                 |
| 27         | ASB 490        | 4,96         | 4.817          | 4.172           | 4.072            | 3.772             | 3.594          | 5,00                 |
| 30         | ASB 500        | 6,12         | 4.817          | 4.172           | 4.072            | 3.772             | 3.594          | 5,00                 |
| 32         | ASB 503        | 6,96         | 4.817          | 4.172           | 4.072            | 3.772             | 3.594          | 5,00                 |

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

## Automatenstahl schwefellegiert

**11 SMn 30/37 +C, (WST .NR. 1.0715/1.0736) EN 10277**

**rund**

blank nach EN 10278/

Signierung: weiß

ISO 286-2/h 9, ab 60 mm - h 11

Stangenlänge: ca. 3 m

| Abm.<br>mm | Artikel<br>Nr. | Gew.<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€ / Stk. |
|------------|----------------|--------------|----------------|-----------------|------------------|-------------------|----------------|-----------------------|
| 8          | ASS 008        | 0,40         | 5.318          | 4.328           | 3.963            | 3.702             | 3.494          | 5,00                  |
| 10         | ASS 010        | 0,62         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 12         | ASS 012        | 0,89         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 14         | ASS 014        | 1,21         | 5.227          | 4.289           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 15         | ASS 015        | 1,39         | 5.227          | 4.289           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 16         | ASS 016        | 1,58         | 5.227          | 4.289           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 17         | ASS 017        | 1,79         | 5.227          | 4.289           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 18         | ASS 018        | 2,00         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 20         | ASS 020        | 2,47         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 22         | ASS 022        | 2,98         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 25         | ASS 025        | 3,85         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 30         | ASS 030        | 5,55         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 35         | ASS 035        | 7,55         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 40         | ASS 040        | 9,86         | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 45         | ASS 045        | 12,49        | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 5,00                  |
| 50         | ASS 050        | 15,31        | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 6,00                  |
| 55         | ASS 055        | 18,65        | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 6,00                  |

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

## Automatenstahl schwefellegiert

**11 SMn 30/37 +C, (WST .NR. 1.0715/1.0736) EN 10277**

### rund

blank nach EN 10278/

Signierung: weiß

ISO 286-2/h 9, ab 60 mm - h 11

Stangenlänge: ca. 3 m

| Abm.<br>mm | Artikel<br>Nr. | Gew.<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€ / Stk. |
|------------|----------------|--------------|----------------|-----------------|------------------|-------------------|----------------|-----------------------|
| 60         | ASS 060        | 22,20        | 5.227          | 4.268           | 3.914            | 3.662             | 3.461          | 7,00                  |
| 65         | ASS 065        | 26,05        | 5.318          | 4.328           | 3.963            | 3.702             | 3.494          | 7,00                  |

## Unlegierter Baustahl - Flach

**S355J2+AR, (WST.Nr.1.0553), DIN 17100, EN 10025**

warmgewalzt, unbehandelt

Signierung:

DIN 1017

silber

Stangenlänge: ca. 6 m

| Abm.<br>mm | Artikel<br>Nr. | Gew.<br>kg/m | unter<br>25 kg | 25 bis<br>50 kg | 50 bis<br>100 kg | 100 bis<br>500 kg | über<br>500 kg | Schnittk.<br>€ / Stk. |
|------------|----------------|--------------|----------------|-----------------|------------------|-------------------|----------------|-----------------------|
| 100/8      | FSB 181        | 6,28         | 4.752          | 3.954           | 3.660            | 3.450             | 3.282          | 5,00                  |

Preise in € / to ohne MwSt.