

gültig ab 1.4.2025

Aluminium - Bleche, EN 1050A

Al 99,5%, H14, halbhart, EN 573-3/485-1/-2/-4

Stärke mm	Artikel Nr.	ca. kg per Tfl.	unter 25 kg	25 bis 50 kg	50 bis 100 kg	100 bis 200 kg	200 bis 500 kg	über 500 kg
--------------	----------------	--------------------	----------------	-----------------	------------------	-------------------	-------------------	----------------

Format 2000/1000

1,00	AB 010	5,50	10.795	9.376	8.780	8.460	8.277	8.067
1,50	AB 015	8,50	10.795	9.376	8.780	8.460	8.277	8.067
2,00	AB 020	11,00	10.795	9.376	8.780	8.460	8.277	8.067
3,00	AB 030	16,50	10.795	9.376	8.780	8.460	8.277	8.067
4,00	AB 040	22,00	10.887	9.468	8.872	8.552	8.368	8.158
5,00	AB 050	27,00		9.513	8.917	8.597	8.415	8.204

Format 2500/1250

1,00	AB 110	9,00	10.795	9.376	8.780	8.460	8.277	8.067
1,50	AB 115	13,00	10.795	9.376	8.780	8.460	8.277	8.067
2,00	AB 120	17,00	10.795	9.376	8.780	8.460	8.277	8.067
3,00	AB 130	26,00	-	9.376	8.780	8.460	8.277	8.067
4,00	AB 140	34,00	-	9.468	8.872	8.552	8.368	8.158
5,00	AB 150	42,50	-	9.468	8.872	8.552	8.368	8.158

Format 3000/1500

1,00	AB 210	12,50	10.795	9.376	8.780	8.460	8.277	8.067
1,50	AB 215	19,00	10.795	9.376	8.780	8.460	8.277	8.067
2,00	AB 220	25,00	-	9.376	8.780	8.460	8.277	8.067
3,00	AB 230	37,00	-	9.376	8.780	8.460	8.277	8.067
4,00	AB 240	49,00	-	9.376	8.780	8.460	8.277	8.067
5,00	AB 245	61,00	-	-	8.780	8.460	8.277	8.067

Format 4000/2000/2 mm

2,00	AB 250	43,00	-	10.099	9.779	9.595	9.477	9.385
------	--------	-------	---	--------	-------	-------	-------	-------

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

Aluminium - Bleche AlMg 1, EN AW 5005A
natureloxiert A6/C0, H14 halbhart, einseitig mit Schutzfolie
EN 573-3/485-1/-2/-4

Stärke mm	Artikel Nr.	ca. kg per Tfl.	unter 25 kg	25 bis 50 kg	50 bis 100 kg	100 bis 200 kg	200 bis 500 kg	über 500 kg
--------------	----------------	--------------------	----------------	-----------------	------------------	-------------------	-------------------	----------------

Format 2000/1000

1,50	ABN 015	8,50	12.645	11.730	10.943	10.655	10.448	10.000
2,00	ABN 020	11,00	12.380	11.465	10.687	10.367	10.183	10.018

Format 2500/1250

1,50	ABN 115	13,00	12.380	11.465	10.687	10.367	10.183	10.018
2,00	ABN 120	17,00	12.380	11.465	10.687	10.367	10.183	10.018

Format 3000/1500

1,50	ABN 215	19,00	12.380	11.465	10.687	10.367	10.183	10.018
2,00	ABN 220	25,00	-	11.465	10.687	10.367	10.183	10.018

Aluminium-Blech AlMG1, EQ EN AW 5005A H14
halbhart, einseitig foliert, EN 573-3/485-1/-2/-4, Eloxalqualität

Stärke mm	Artikel Nr.	ca. kg per Tfl.	unter 25 kg	25 bis 50 kg	50 bis 100 kg	100 bis 200 kg	200 bis 500 kg	über 500 kg
--------------	----------------	--------------------	----------------	-----------------	------------------	-------------------	-------------------	----------------

Format 2000/1000

2,00	ABQ 020	11,00	12.210	10.710	9.910	9.610	9.460	9.370
------	---------	-------	--------	--------	-------	-------	-------	-------

Format 2500/1250

2,00	ABQ 120	17,00	12.210	10.710	9.910	9.610	9.460	9.370
------	---------	-------	--------	--------	-------	-------	-------	-------

Format 3000/1500

2,00	ABQ 220	25,00	-	10.710	9.910	9.610	9.460	9.370
------	---------	-------	---	--------	-------	-------	-------	-------

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

Aluminium-Blech AIMG1, NQ EN AW 5005A, H14

halbhart,einseitig foliert, EN 573-3/485-1/-2/-4, Normalqualität

Stärke	Artikel	ca. kg	unter	25 bis	50 bis	100 bis	200 bis	über
mm	Nr.	per Tfl.	25 kg	50 kg	100 kg	200 kg	500 kg	500 kg
Format 2000/1000								
2,00	ABE 020	11,00	11.210	9.710	8.910	8.610	8.460	8.370
Format 3000/1500								
2,00	ABE 220	25,00	-	9.710	8.910	8.610	8.460	8.370
3,00	ABE 230	37,00	-	9.710	8.910	8.610	8.460	8.370

Aluminium - Bleche AIMg1, EN AW 5005A

RAL 9010 einseitig farbbeschichtet , H 24 halbhart

mit Schutzfolie

EN 573-3/ 485 -1/-2/-4

Stärke	Artikel	ca. kg	unter	25 bis	50 bis	100 bis	200 bis	über
mm	Nr.	per Tfl.	25 kg	50 kg	100 kg	200 kg	500 kg	500 kg
Format 3000/1500								
2,00	ABW 220	25,00	-	11.924	11.328	11.008	10.825	10.706

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

Aluminium - Warzenbleche, AlMg 3

EN AW 5754, H 114, ungebeizt

Quintettwarzen 1.5 mm, EN 573-3, 1386

Stärke mm	Artikel Nr.	ca. kg per Tfl.	unter 25 kg	25 bis 50 kg	50 bis 100 kg	100 bis 200 kg	200 bis 500 kg	über 500 kg
--------------	----------------	--------------------	----------------	-----------------	------------------	-------------------	-------------------	----------------

Format 2000/1000

2,00	AB 302	12,00	11.170	9.751	9.155	8.835	8.653	8.488
3,00	AB 303	18,00	11.170	9.751	9.155	8.835	8.653	8.488
4,00	AB 304	24,00	11.170	9.751	9.155	8.835	8.653	8.488
5,00	AB 305	29,00	-	9.751	9.155	8.835	8.653	8.488

Format 2500/1250

2,00	AB 312	19,00	11.170	9.751	9.155	8.835	8.653	8.488
3,00	AB 313	28,00	-	9.751	9.155	8.835	8.653	8.488
4,00	AB 314	38,00	-	9.751	9.155	8.835	8.653	8.488
5,00	AB 315	45,00	-	9.751	9.155	8.835	8.653	8.488

Format 3000/1500

2,00	AB 412	27,00	-	9.751	9.155	8.835	8.653	8.488
3,00	AB 413	41,00	-	9.751	9.155	8.835	8.653	8.488
4,00	AB 414	54,00	-	-	9.155	8.835	8.653	8.488
5,00	AB 415	65,00	-	-	9.155	8.835	8.653	8.488

Preise in € / to ohne MwSt.

		gültig ab 1.4.2025
Alu - Lochbleche, EN AW 1050A Al 99,5 % hh, H 24		
Stärke mm	Artikel Nr.	€ / Tfl.
Format 2000/1000/1 mm		
Rv 03 - 05	ALB 010	130
Rv 05 - 08	ALB 015	130
Format 2000/1000/1,5 mm		
Rv 05 - 08	ALB 020	152
Format 2000/1000/2 mm		
Rv 10 - 15	ALB 030	165
Qg 10 - 15	ALB 040	174

Preise in € / Tfl. ohne Mwst.

							gültig ab 1.4.2025
Alu Flachstangen, EN AW 6060, T66 AlMg Si 0.5, F 22, scharfkantig, warm ausgehärtet, gepresst EN 573-3/ 755-1/-2/-5 Stangenlänge: ca. 6 m							
Abm. mm	Artikel Nr.	Gew. kg/m	unter 5 kg	5 bis 20 kg	20 bis 50 kg	50 bis 100 kg	über 100 kg
15/5	AFS 016	0,201	15.513	12.581	11.072	10.109	9.468
20/5	AFS 026	0,270	15.513	12.581	11.072	10.109	9.468
30/4	AFS 045	0,324	15.513	12.581	11.072	10.109	9.468
30/8	AFS 049	0,648	15.513	12.581	11.072	10.109	9.468
40/3	AFS 068	0,325	15.513	12.581	11.072	10.109	9.468
40/4	AFS 069	0,433	15.513	12.581	11.072	10.109	9.468
40/5	AFS 070	0,540	15.513	12.581	11.072	10.109	9.468
40/6	AFS 071	0,648	15.513	12.581	11.072	10.109	9.468
40/8	AFS 072	0,864	15.513	12.581	11.072	10.109	9.468
40/10	AFS 073	1,080	15.513	12.581	11.072	10.109	9.468
50/3	AFS 095	0,430	15.513	12.581	11.072	10.109	9.468
50/5	AFS 097	0,675	15.513	12.581	11.072	10.109	9.468
50/6	AFS 098	0,810	15.513	12.581	11.072	10.109	9.468
50/8	AFS 099	1,080	15.513	12.581	11.072	10.109	9.468
50/10	AFS 100	1,360	15.513	12.581	11.072	10.109	9.468
60/5	AFS 115	0,810	15.513	12.581	11.072	10.109	9.468
60/10	AFS 118	1,620	15.513	12.581	11.072	10.109	9.468
80/10	AFS 151	2,160	15.513	12.581	11.072	10.109	9.468
100/8	AFS 181	2,160	15.513	12.581	11.072	10.109	9.468
100/10	AFS 182	2,710	15.513	12.581	11.072	10.109	9.468

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

Alu Rundstangen, EN AW 6060, T66

AlMg Si 0.5, F 22, gepresst, warm ausgehärtet

EN 573-3/ 755-3 / 755-1 /-2/-3

Stangenlänge: ca. 6 m

Abm. mm	Artikel Nr.	Gew. kg/m	unter 5 kg	5 bis 20 kg	20 bis 50 kg	50 bis 100 kg	über 100 kg
12	ARS 012	0.305	15.513	12.581	11.072	10.109	9.468
14	ARS 014	0.440	15.513	12.581	11.072	10.109	9.468
16	ARS 016	0.543	15.513	12.581	11.072	10.109	9.468
20	ARS 020	0.848	15.513	12.581	11.072	10.109	9.468
30	ARS 030	1.910	15.513	12.581	11.072	10.109	9.468
40 3 m	ARS 041	3.396	15.513	12.581	11.072	10.109	9.468

Alu Rundstangen

AlCuMgPb, AW-2007

Bohr- und Drehqualität, gezogen, 3.1645

Stangenlänge: ca. 3 m

Abm. mm	Artikel Nr.	Gew. kg/m	unter 5 kg	5 bis 20 kg	20 bis 50 kg	50 bis 100 kg	über 100 kg
8	ARSS 008	0,144	15.513	12.581	11.072	10.109	9.468
10	ARSS 010	0,224	15.513	12.581	11.072	10.109	9.468
12	ARSS 012	0,322	15.513	12.581	11.072	10.109	9.468
15	ARSS 015	0,503	15.513	12.581	11.072	10.109	9.468
16	ARSS 016	0,574	15.513	12.581	11.072	10.109	9.468
18	ARSS 018	0,725	15.513	12.581	11.072	10.109	9.468
20	ARSS 020	0,890	15.513	12.581	11.072	10.109	9.468
25	ARSS 025	1,400	15.513	12.581	11.072	10.109	9.468
30	ARSS 030	2,020	15.513	12.581	11.072	10.109	9.468
35	ARSS 035	2,750	15.513	12.581	11.072	10.109	9.468
40	ARSS 040	3,580	15.513	12.581	11.072	10.109	9.468

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

Alu Winkelprofile, EN AW 6060, T66

AlMg Si 0.5, F 22, scharfkantig, warm ausgehärtet, gepresst
EN 573-3/ 755-1/-2/-9

Stangenlänge: ca. 6 m

Abm. mm	Artikel Nr.	Gew. kg/m	unter 5 kg	5 bis 20 kg	20 bis 50 kg	50 bis 100 kg	über 100 kg
15/15/2	AWP 010	0.151	17.710	14.780	13.269	12.308	11.667
20/20/2	AWP 020	0.205	15.513	12.581	11.072	10.109	9.468
25/25/2	AWP 030	0.259	15.513	12.581	11.072	10.109	9.468
30/30/2	AWP 040	0,320	15.513	12.581	11.072	10.109	9.468
30/30/3	AWP 050	0.462	15.513	12.581	11.072	10.109	9.468
40/40/2	AWP 065	0.421	15.513	12.581	11.072	10.109	9.468
40/40/3	AWP 070	0,660	15.513	12.581	11.072	10.109	9.468
40/40/4	AWP 074	0.820	15.513	12.581	11.072	10.109	9.468
50/50/2	AWP 075	0.529	15.513	12.581	11.072	10.109	9.468
50/50/5	AWP 086	1.287	15.513	12.581	11.072	10.109	9.468
30/20/2	AWP 120	0.260	15.513	12.581	11.072	10.109	9.468
40/20/2	AWP 125	0.314	15.513	12.581	11.072	10.109	9.468
50/30/2	AWP 130	0.425	15.513	12.581	11.072	10.109	9.468
60/40/2	AWP 140	0.560	15.513	12.581	11.072	10.109	9.468

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

Alu U-Profile, EN AW 6060, T66**AlMg Si 0.5, F 22, scharfkantig, warm ausgehärtet, gepresst****EN 573-3/ 755-1/-2/-9**

Stangenlänge: ca. 6 m

Abm. mm	Artikel Nr.	Gew. kg/m	unter 5 kg	5 bis 20 kg	20 bis 50 kg	50 bis 100 kg	über 100 kg
15/15/15/2	AUP 305	0.221	15.513	12.581	11.072	10.109	9.468
20/20/20/2	AUP 315	0.303	15.513	12.581	11.072	10.109	9.468
25/25/25/2	AUP 330	0.383	15.513	12.581	11.072	10.109	9.468
30/30/30/2	AUP 340	0,490	15.513	12.581	11.072	10.109	9.468
30/30/30/3	AUP 345	0.680	15.513	12.581	11.072	10.109	9.468
40/40/40/4	AUP 370	1.210	15.513	12.581	11.072	10.109	9.468
50/50/50/4	AUP 380	1.610	15.513	12.581	11.072	10.109	9.468
20/40/20/2	AUP 440	0.410	15.513	12.581	11.072	10.109	9.468
40/20/40/2	AUP 442	0.530	15.513	12.581	11.072	10.109	9.468
40/80/40/4	AUP 550	1.642	15.513	12.581	11.072	10.109	9.468

Alu Rundrohre, EN AW 6060**AlMg Si 0.5, F 22, gepresst, warm ausgehärtet****EN 573-3/ 755-1/-2/-9, Stangenlänge: ca. 6 m**

Abm. mm	Artikel Nr.	Gew. kg/m	unter 5 kg	5 bis 20 kg	20 bis 50 kg	50 bis 100 kg	über 100 kg
20/2	ARR 020	0.305	15.513	12.581	11.072	10.109	9.468
25/2	ARR 025	0.390	15.513	12.581	11.072	10.109	9.468
30/2	ARR 029	0.475	15.513	12.581	11.072	10.109	9.468
30/3	ARR 030	0.687	15.513	12.581	11.072	10.109	9.468
35/3	ARR 036	0,820	15.513	12.581	11.072	10.109	9.468
40/2	ARR 039	0,648	15.513	12.581	11.072	10.109	9.468
40/3	ARR 040	0.943	15.513	12.581	11.072	10.109	9.468
48/3	ARR 048	1,150	15.513	12.581	11.072	10.109	9.468
50/3	ARR 050	1.198	15.513	12.581	11.072	10.109	9.468
60/2	ARR 059	0,986	15.513	12.581	11.072	10.109	9.468
60/3	ARR 060	1.455	15.513	12.581	11.072	10.109	9.468
70/3	ARR 070	1.755	15.513	12.581	11.072	10.109	9.468

Preise in € / to ohne MwSt.

gültig ab 1.4.2025

Alu Formrohre, EN AW 6060, T66

AlMg Si 0.5, F 22, scharfkantig, warm ausgehärtet, gepresst
EN 573-3/ 755-1/-2/-9

Stangenlänge: ca. 6 m

Abm. mm	Artikel Nr.	Gew. kg/m	unter 5 kg	5 bis 20 kg	20 bis 50 kg	50 bis 100 kg	über 100 kg
15/15/2	AFR 015	0.281	15.513	12.581	11.072	10.109	9.468
20/20/2	AFR 025	0.390	15.513	12.581	11.072	10.109	9.468
25/25/2	AFR 035	0.496	15.513	12.581	11.072	10.109	9.468
30/30/2	AFR 050	0.607	15.513	12.581	11.072	10.109	9.468
35/35/2	AFR 070	0.710	15.513	12.581	11.072	10.109	9.468
40/40/2	AFR 090	0.821	15.513	12.581	11.072	10.109	9.468
40/40/3	AFR 100	1.198	15.513	12.581	11.072	10.109	9.468
50/50/2	AFR 115	1.037	15.513	12.581	11.072	10.109	9.468
50/50/3	AFR 120	1.528	15.513	12.581	11.072	10.109	9.468
60/60/3	AFR 140	1.853	15.513	12.581	11.072	10.109	9.468
80/80/3	AFR 160	2.396	15.513	12.581	11.072	10.109	9.468
100/100/3	AFR 180	3.140	15.513	12.581	11.072	10.109	9.468
30/20/2	AFR 260	0.497	15.513	12.581	11.072	10.109	9.468
40/20/2	AFR 285	0.607	15.513	12.581	11.072	10.109	9.468
40/25/2	AFR 295	0.660	15.513	12.581	11.072	10.109	9.468
40/30/2	AFR 300	0.710	15.513	12.581	11.072	10.109	9.468
50/20/2	AFR 330	0.710	15.513	12.581	11.072	10.109	9.468
50/30/2	AFR 340	0.824	15.513	12.581	11.072	10.109	9.468
60/40/2,5	AFR 400	1.280	15.513	12.581	11.072	10.109	9.468
80/40/3	AFR 435	1.850	15.513	12.581	11.072	10.109	9.468
100/50/3	AFR 480	2.330	15.513	12.581	11.072	10.109	9.468

Preise in € / to ohne MwSt.